

ROSE



ANY QUESTIONS?
technik@rosebikes.com


ROSE Bikes GmbH
Schersweide 4
46395 Bocholt, Germany

B A C K R O A D

CF FRAME DETAILS

BACKROAD

CF FRAME DETAILS




POS.	DESCRIPTION	SPECIFICATIONS	ART. NR.
1	frame	color: terra	16233801
		color: lions mane	16233701
2	fork	color: terra	1623190101
		color: lions mane	1623200101
3	seatpost	XS - 345 mm	1622740101
		S - 405 mm	1622740102
		M - 420 mm	1622740103
		M/L - 460 mm	1622740104
		L - 490 mm	1622740105
		XL - 490 mm	1622740106
4	saddle clamp	for 7x7 mm rails	228419301
5	seatpost clamp cover		235276301
6	seatpost clamp		234997501

POS.	DESCRIPTION	SPECIFICATIONS	ART. NR.
7	down tube protector		235149401
8	chain suck plate		235276701
9	chainstay protector		235276801
10	seatstay bridge		235276901
11	UDH hanger	incl. fixing screw	229953201
12	plug headset cap screw		230788101
13	plug top tube		233899301
14	chain guide		234582001
15	K-Werk Rail		235025801
16	down tube storage cover	lever and 3 screws fitted	235149501
17	lever for downtube storage cover		235277301
18	down tube storage cover screw		235277501
	bottle cage adaptor	for frame size XS, S	235278201

BACKROAD

CF FRAME DETAILS




HEADSET DETAILS

POS.	DESCRIPTION	SPECIFICATIONS	ART. NR.
20	countersunk head screw	M6x30 mm	231482301
21	topcap		1600300001
22	compression device carbon fork steerer	23.5 mm	234073701
23	usb spacer	10 mm, 800mm cable, micro-usb	235463601
24	1/2 Spacer	5 mm	1596390101
	1/2 Spacer	10 mm	1596390102
25	top cover	icr	235463701
26	compression ring	ICR, 1 1/8"/AC4252	234167801
27	upper headset sealing	AC4252	235308801
28	upper bearing	42x52x7 mm, 45°/45°, 2RS	235352001
29	sealing lip		235367001
30	lower bearing	40x52x7 mm, 45°/45°, R2	233792101
31	lower headset sealing	AC4052	235463801

BACKROAD

CF FRAME DETAILS



FRAME GEOMETRY

		XS	S	M	M/L	L	XL
SEATTUBE LENGTH [MM]	A	462	481	500	511	531	556
TOPTUBE LENGTH HORIZONTAL [MM]	B	525	545	560	575	590	615
HEAD TUBE ANGLE	C	70.5	71	71.25	71.25	71.5	71.5
SEAT TUBE ANGLE	D	75.5	74.5	74.25	74	73.75	73.5
WHEELBASE [MM]	E	1018	1025	1035	1049	1064	1086
FRONT CENTER [MM]	F	606	612	623	636	646	668
REAR CENTER [MM] (CHAINSTAY LENGTH)	G	425	425	425	425	430	430
HEADTUBE LENGTH [MM]	H	102	122	137	157	167	182
STACK [MM]	I	545	565	581	600	611	624
REACH [MM]	J	384	388	396	403	412	430
STACK TO REACH RATIO		1.42	1.46	1.46	1.49	1.48	1.45
BB DROP [MM]	K	78	78	78	78	78	78
STAND-OVER HEIGHT (100 MM BEFORE BB)	L	772	792	809	823	837	856
FORK LENGTH [MM]	M	410	410	410	410	410	410
FORK OFFSET [MM]		48	48	48	48	48	48

FRAME INTERFACES

BOTTOM BRACKET	Shimano:T47, 85,5mm / Sram: DUB T47 85,5mm Road wide
FRONT WHEEL AXLE	100 x 12 mm, Art. No. 227585701
REAR WHEEL AXLE	142 x 12 mm, Art. No. 227469001
FRONT BRAKE MOUNT	160 mm Flatmount
REAR BRAKE MOUNT	160 mm Flatmount
MAX Ø DISC	180mm front / 160mm rear
Ø SEATPOST	D-shape
MAX. TIRE SIZE	53 mm (47mm with mudguards)
MAX. CHAINRING SIZE	1x 46T / 2x 48-31T
FRONT DERAILLEUR MOUNT	-
BOTTLE CAGE	yes, 4x frame and 2x fork

MAX SYSTEM WEIGHT (RIDER + BICYCLE + CLOTHING + GEAR + LUGGAGE): 120 KG

INTENDED USE: DIN 17406 CATEGORY 2